

Receiving Report

Date: 9/9/23

Batch No: M112782

Supplier: MAGNA

Dart P/O: 10442

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 0710129 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M30430	500X012.00	12	0	0	12	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 9/9/23
 Date
 Received/Costing [Signature]
 Initial

Location _____



Magna Stainless

5775 Kieran St, Saint-Laurent QC H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

INVOICE

Pg 1 of 1 I017036

RECEIVED

SEP 28 2009

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

MTR:Y

INVOICE DATE:	09/23/09
ORDER DATE:	09/22/09
SHIP DATE:	09/23/09
ORDER NUMBER:	W018754
PURCHASE ORDER:	PO10442

Currency	Sales Person	Ship Via	F.O.B.	Terms
CANADIAN DOLLARS	ERYCK BLAIS	NIR:R-557065-1	PREPAID	NET 30 DAYS

Ln	Back Ordered	Ordered	Unit	Description	Shipped	Price Per	Value
		2	PC	ALUMINUM FLATS AFL 6061 T6 3/16" x 4" x R/L L030769 20' 2 PC/34 LB	2 UN	40.00	80.00
		5	PC	STAINLESS ROUNDS SRB 303 3/4" x R/L L031096 12'1" 5 PC/92 LB	5 UN	48.00	240.00
		1	PC	STAINLESS SQUARES SSQ 304 CD 1-1/2" x R/L L029079 12'7" 1 PC/94 LB	1 UN	595.00	595.00

09/24/09 11:22:55

Merchandise:	915.00
Surcharges:	
No Tax Costs:	
GST	45.75
Total Due:	960.75

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471
G.S.T. # 881565899 RT0001



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

PACKING LIST

I017036

Page: 1 of 1

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY, ON
K6A 1K7
Contact: CHANTAL

HAWKESBURY, ON
K6A 1K7
Ship Terms: PREPAID

MTR:Y

MAGNA
QC2 STOCK

SPECIAL INSTRUCTIONS

Currency		Sales Person	Customer Phone	Customer Fax	Customer PO		
CANADIAN DOLLARS		ERYCK BLAIS	(613) 632-5200	(613) 632-1053	PO10442		
Sales Order	Terms		Ship Via		Date Ordered	Date Required	Date Shipped
W018754	NET 30 DAYS		NIR:R-557065-1		09/22/09	09/23/09	09/23/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
2		PC	ALUMINUM FLATS AFL 6061 T6 3/16" x 4" x R/L 20' 34 LB / 2 PC	L030769	09040131A	2
5		PC	STAINLESS ROUNDS SRB 303 3/4" x R/L 12'1" 92 LB / 5 PC	L031096	423312	5
1		PC	STAINLESS SQUARES SSQ 304 CD 1-1/2" x R/L 12'7" 94 LB / 1 PC	L029079	247974	1
Bundles: 1				Total Weight:		220 LB

Received by: _____ Date: _____ Signature: _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10442

Purchase Order Date 9/22/09

PO Print Date 9/22/09

Page Number 1 of 2

Order From :

VC-MAG002

FAXED
607/12

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 363 6646

514 339 1105

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.500X012.000	304 BAR .500 X 12.00	9/29/09 Yes	12.00 sf	Yours ppd	\$62.5000	\$750.00
		Special Inst: MATERIAL: AISI 304/316 STAINLESS STEEL BAR NOTE: AISI 303 NOT ACCEPTABLE					
2	M304B1.500X1.500	304 bar 1.50 X1.50	9/25/09 Yes	12.00 f	Yours ppd 12.7 / 9/23	\$49.5830	\$595.00
		Special Inst: AS ABOVE					
3	M303R0.750	303 Round Bar 0.750	9/25/09 Yes	60.00 f	Yours ppd 60.5 / 9/23	\$4.0000	\$240.00
		Special Inst: MATERIAL: AISI 303 ROUND BAR NOTE: AISI 304/316 NOT ACCEPTABLE					
4	M6061T6B0.187X04.000	6061-T6 Bar .178 x 4.00	9/25/09 Yes	40.00 f	Yours ppd 29 / 9/23	\$2.0000	\$80.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

U C2

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr:

1

Change Date: 9/22/09

Purchase Order Receipt Listing

September 23, 2009 7:23:47 AM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO10442 All Receipt Dates All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name			VC-MAG002	Magna Stainless							
PO10442	2		M304B1.500X1.500	f	9/25/2009	9/23/2009	12.7000	\$49.58	0.0000	0	\$629.70
CAD	No		304 bar 1.50 X1.50	f	12.0000	Stores		\$629.70	0.0000	0	
			112752								
	3		M303R0.750	f	9/25/2009	9/23/2009	60.5000	\$4.00	0.0000	0	\$242.00
	No		303 Round Bar 0.750	f	60.0000	Stores		\$242.00	0.0000	0	
			112752								
	4		M6061T6B0.187X04.000	f	9/25/2009	9/23/2009	40.0000	\$2.00	0.0000	0	\$80.00
	No		6061-T6 Bar .178 x 4.00	f	40.0000	Stores		\$80.00	0.0000	0	
			112752								
Total Received Quantity:										113.2000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$951.70	
Total Balance Due Quantity:										0.0000	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10442

Purchase Order Date 9/22/09

PO Print Date 9/22/09

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	800 363 6646	Requisition Nbr	
Vendor Fax	514 339 1105	Tax Resale Nbr	10127-2607
Vendor Account Nbr		Terms	Net 30
		Currency	CAD
		FOB	

Special Inst: MATERIAL: 6061-
T6/T651/T6510/T6511/T62 ALUMINUM
BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8
OR 4117/4128/4115/4116 OR AMS4160
ASTM B211 OR ASTM B221

PO Total:

\$1,665.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 9/22/09

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Material Test Report

72927

Customer Ship To:

ASA Alloys Inc.
81 Steinway Blvd.

Etobicoke

ON M9W 6H6

Our Order: 829867 - 1

Your PO # 78553-RK

Part # 05514-000-240

Die: LS05514

Description: .188 x 4.000

Alloy Temper 6061 T6511

Print Date: 4/29/2009

Chemical Properties

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	others each	others total	Al
0.40-0.8	0.7 max	0.15-0.40	0.15 max	0.8-1.2	0.04-0.35	0.25 max	0.15	0.05	0.15	remain

S
07/01/24

Mechanical Properties

Strength ksi

Test ID	Test Date	CastNum	Ultimate	Yield (2% Offset)	Elongation (2" gage length)
2323556	4/20/09	09040131A	43.40	40.23	14.3

Applicable Specifications: ASTM B221-08 ASTM B308-02 ASTM B429 QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Eric Hotte - Tensile Testing

Authorized


Evan Eng, Quality Assurance Mgr.

P006507-09040131A

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Cliant
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine producer

Avviso di Spedizione: D-VI09017149
Utoferanzge/Packing fest/B.L.

Ordine nr: 907002333 Stock - Canada
Bestell/Your order/Commande

Certificato nr: MEST774991/2009/
Prüfung/Test/Essai

Conferma ordine nr: EI09004135
Works/Our Order/Ret. nr.

Marchio di Fabbrica:
Zeichen des Werks/Werkmarks
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poligon de l'assayeur



Objeto Prove: - Annealed Cold Drawn
Prüfgegenstand/Item inspected/Finissage

Tipo di Elaborazione: E+AOD
Erwärmungs- und Kaltwalzungsprozess/Mode d'elaboration

Specifiche:
Anforderungen / Requirements / Exigences

VAL CANADA 2 303 A,CF
ASTM A314 2008 S30300
DOD-F-24669 6 S30300
(0) SEC.II PT.A 2007 EDITION ADD. 2008a

AMS 5640 U TYPE1
ASTM A320 2008 B8F
MIL-S-862 B/1 303

ASME SA320 2007 B8F (0)
ASTM A582 2005 S30300
QQ-S-764 B/2 303

Qualità: 303
Werkstoff/Grade/Numéro

Marca: MV188ZHS MAXIVAL
Markenbezeichnung/Brand/Numéro

Punzonatura: 303
Kennzeichnung/Marking/Markung

Pos. nr. Pos. nr. Nr. de posto	Objeto Object Product description Descrip. du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolérance	Lunghezza - In Länge Length Longueur	Cotata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losn. Lot nr. Lot nr.
0010	Round	0,7500	484-06B	146 / 147	423312		4.744	834700760

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimescolanza: OK
Verwachsungsprüfung: spezialanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze:
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks: satisfactory
Contrôle visuel et dimensionnel: satisfaisant

TEST ALLO STATO DI FORNITURA												
Test on delivery condition Prüfung auf lieferbarem produkt test a l'état de fourniture Prueba sobre el material así como entregado												
TEST	Provetta/Probestab Specimen/Probestab Long diam. Spec. Brutto Diam. Dicke With Diam. Thickness Long. diam. approx mm	°F	Posiz. Saggio Position Lieu de l'essai Il	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Zugdehnung Elongation Allongement E 4d %	Strizione Einschnürung Reduction of area Estriction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB		
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max		30	-	75	-	35	-	50	-	140 241
A	12,5	68	L	70		101	43	51			239	

1) L=longitudinale/length, T=transversale/quer, Q=tangenziale/tangential

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata / Heat Schmelze/Coulée	min - max 0,150	1,00	2,00	17,00 19,00	0,60	1,00	8,00 10,00	0,15	0,15 0,40	0,400	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %			
423312	0,035	0,45	1,96	17,68	0,35	0,60	8,50	0,109	0,03	0,33	0,004			

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0,5h/water

Micro and macro etch test: OK

Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, 6., 4.3 by TUEV and LLOYD'S

Vicenza, 29/07/09

V00010
(Mod. MCEP)

Il collaudatore di stabilimento / der Werksachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1

Acciaierie Valbruna S.p.A.



36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Clien:
VALBRUNA CANADA LTD
8724 HOLTATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Item/Usine productrice

Oggetto Prove: - Annealed Cold Drawn
Prüfgegenstand/Item Inspected/Finissage

Avviso di Spedizione: D-VI09004155
Lieferanzeige/Packing list/B.L.

Ordine nr: 902002141 Stock - Canada
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

Certificato nr: MEST721442/2009/
Prüfung/Test/Essai

Conferma ordine nr: EI09000528
Works/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice

Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'essayeur



Specifiche:
Anforderungen / Requirements / Exigences

VAL CANADA 2 304/304L A,CF
ASME SA182 2007 S30400/03
ASME SA479 2007 S30400/03
ASTM A262 2002A PRACTICE E
ASTM A320 2008 B8
NACE MR0175 2003 S30400/03 A s
(0) SEC.II PT.A 2007 EDITION ADD. 2008a
(1) SEC.II PT.A 2007 EDITION ADD. 2008a
(3) SEC.II PT.A 2007 EDITION ADD. 2008a
(5) * ISO 15156-3

AMS 5639 H S30400
ASME SA193 2007 B8 1
ASTM A182 2008A S30400/03 4
ASTM A276 2008A S30400/03
ASTM A479 2008 S30400/03
QQ-S-763 F 304/304L

AMS 5647 H S30403
ASME SA320 2007 B8 (2)
ASTM A193 2008B B8
ASTM A314 2008 S30400/03
MIL-S-862 B/1 304/304L

0Chemical analysis only.
2SEC.II PT.A 2007 EDITION ADD. 2008a
4Chemical analysis only.

OK
01.15.24

Qualità: T-304L
Werkstoff/Grade/Qualité

Marca: AISI

Markenbezeichnung/Brand/Qualité

Punzonatura: T-304L

Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descrip. du produit	Dimensioni - in Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolerance	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0020	Square	1,5000 x 1,5000	484-06B	147 / 147	247974		2.344	807901180

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimescolanza: OK
Vorvermischungsprüfung: spectralanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antimesclage fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze:
Bosichtigung und Ausmessung: eine Beanstandung
Visual inspection and dimensional checks: satisfactory
Contrôle visuel et dimensions: satisfaisant

TEST	Provetta/Probestab Speichenerprobung Long. diam. Spéc. Bred. Diam. Dicke Widh. Diam. Thickness Long. diam. épais mm	°F	Posiz. Saggio Probestab Lorenz Empfänger	Snervamento Streckgrenze Yield Stress Limite elastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite elastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Attergement E 4d %	Strizione Einschnürung Reduction of area Sériction %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB 1/2 r
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max		30	-	75	40	50	-	140 223
A	12,5	68	L	61		98	50	69		207

Grain size for ASTM E112

: 5

1/L=longitudinale/longs, T=transversale/quer, O=Tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min max 0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50		0,040	0,030	0,100				
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %				
247974	0,024	0,39	1,65	18,19	0,49	0,58	8,08	0,090	0,031	0,026	0,090				

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury or radio-activity contamination
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s.4.3 by TUEV and LLOYD'S

Load 30492

23 Bunder

Vicenza, 20/02/09

VCC0008
(Mod. MCER)

Il collaudatore di stabilimento / der Werksachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1

Chantal Lavoie

From: Eryck Blais [eblais@magnastainless.com]
Sent: September 21, 2009 1:29 PM
To: 'Chantal Lavoie'
Subject: RE: quote

THANK YOU
ERYCK

From: Chantal Lavoie [mailto:clavoie@dartaero.com]
Sent: Monday, September 21, 2009 12:03 PM
To: Eryck Blais
Subject: quote

Please advise price & delivery on material.
304 bar .500" x 12" x 12 ft \$750.00 1 PC 3-5 DAYS ✓
304 bar 1.5" x 1.5" x 12 ft 1 PC 595.00 EACH STK ✓
303 round bar .750" x 60 ft 5 PCS 48.00 EACH STK ✓
6061T6 bar .187" x 4" x 40 ft 2 PCS \$40.00 EACH STK
Thanks
Chantal

100

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILL. 60637
1968